



October 2019

Distributor Name: _____
 Contact Name: _____
 Address: _____

 Postal Code: _____
 Country: _____
 Telephone: _____
 E-Mail: _____

Dealer's Name: _____
 Client's Name: _____
 Client's Weight: _____
 Client's Height: _____
 Client's Disability: _____

Purchase Order No: _____
 Delivery Address: _____

 Postal Code: _____
 Contact Name: _____
 Telephone: _____
 E-Mail: _____

Notes/Comments:

Do Not Use for Specification Information

FOR RGK OFFICE USE ONLY


Distributor: _____
 A/C No: _____

Net Value: \$ _____
 Freight: \$ _____
 Invoice Value: \$ _____
 Payment Received: \$ _____

	Who	Date
OK to Quote:		
OK to Confirm:		
Document No:	DOC	

- Base Product
- Standard Configuration
- Mandatory Information
- Option with No Extra Cost
- Information Required for Option
- Option with Extra Cost





- ELAXZ010 ELITE A7020
\$ 6,077.00
 - ELAXA280 Frame heavy duty
\$ 510.00
 - XR070 Accessory Carbon Extreme (CX) seat system
\$ 4,429.00
- Max User Weight 125kg



- XW010
NC

KEY FRAME MEASUREMENTS

- XY010 Seat width (Inside of sideguards)
 (Max - 500mm)
(Min - 250mm)
- XY020 Seat length
 (Max - 500mm)
(Min - 250mm)
- XY030 Seat frame additional length (Provides additional leg support & hand grip)
- XY050 Front frame height
 (Max - 630mm)
(Min - 360mm)
- XY060 Rear frame height
 (Max - 630mm)
(Min - 360mm)
- XY070 Frame length
 (Min XY020 + XY030 + 110mm)
- XA020 Frame ergonomic seat
\$ 96.00
 Specify length (Standard = 120mm)




FRONT FRAME AND SEAT

Front Frame Options (Choose One)

XY080 Front seat taper design


i Specify width mm

(Optional, to provide additional leg support / positioning)



XA130 Frame V seat design \$ 244.00


i Specify width mm



XY082 Front seat taper position \$ 72.00

i Specify measurement mm


(Measurement not smaller than sideguard length)



XA131 Frame V seat and taper design \$ 263.00


i Specify width at front of seat (A) mm

i Specify taper width (B) mm



XA136 Frame front seat parallel design \$ 72.00

i Specify width mm




XA135 Frame asymmetrical taper design \$ 211.00

i Specify width (A) mm

i Specify left offset (B) mm

i Specify right offset (C) mm



Seat Options

XR040 Accessory seat plate aluminium with support tubes (Specify length) \$ 153.00


i mm (Standard XY020 - 20mm)

XR050 Accessory seat plate carbon fibre with support tubes (Specify length) \$ 382.00

i mm (Standard XY020 - 20mm)

XA260 Frame drop seat design \$ 175.00

i Specify drop mm




FOOTREST	
Fixed Footrest	Adjustable Footrest
<input type="checkbox"/> ELAXB080 Footrest fixed position integrated into frame	<input type="radio"/> ELAXB130 Footrest height and angle adjustable aluminium plate \$ 244.00
Height and Position	Height and Position
<p>Front footrest height</p> <input type="text" value="mm"/> (min = 30mm) XY115	<p>Front footrest height</p> <input type="text" value="mm"/> (min = 30mm) XY115
<p>Rear footrest height</p> <input type="text" value="mm"/> (min = 30mm) XY130	<p>Rear footrest height</p> <input type="text" value="mm"/> (min = 30mm) XY130
<p>Front of footrest to rear of castor housing</p> <input type="text" value="mm"/>	<p>Front of footrest to rear of castor housing</p> <input type="text" value="mm"/> (If not specified set at 20mm)
Footrest Size (Not ABS)	Footrest Size (Not ABS)
<p>Footrest width (Std 200mm)</p> <input type="text" value="mm"/>	<p>Footrest plate width (Std 200mm)</p> <input type="text" value="mm"/>
<p>Footrest length (Std 250mm)</p> <input type="text" value="mm"/>	<p>Footrest plate length (Std 250mm)</p> <input type="text" value="mm"/>
Footrest Plate	Footrest Plate
<input type="checkbox"/> XB180 Footrest plate aluminium <input type="radio"/> XB190 Footrest plate carbon fibre \$ 446.00 <input type="radio"/> XB100 Footrest ABS moulded foot tray \$ 146.00 Specify length (Std 330mm if not indicated) <input type="text" value="mm"/> <input type="radio"/> ELAXB140 Footrest screw and spacer kit \$ 101.00 (Allows for 25mm increase in height) <input type="radio"/> ELAXB145 Footrest multi position offensive	<input type="radio"/> XB100 Footrest ABS moulded foot tray \$ 146.00 Specify length (Std 330mm if not indicated) <input type="text" value="mm"/>
Castor Pin Width	
XY330 Castor pin width <input type="text" value="mm"/> <input type="checkbox"/> Optimize measurements (Footrest plate width + 50mm)	

CAMBER BAR, WING AND ANTI-TIP

Fixed Centre of Gravity

ELAXY510 Centre of gravity fixed sport


mm



Adjustable Centre of Gravity

ELAXY560 Centre of gravity adjustable sport (50-180mm range)

mm



Specify Camber Angle

XY390 Camber angle

16 18 20 22


Specify Camber Angle

XY390 Camber angle

16 18 20 22


Wing Options (Choose one)

ELAXA110 Frame integrated basketball wing fixed centre of gravity



Wing Options (Choose one)


ELAXA105 Frame basketball wing round with adjustable ends




ELAXA120 Frame basketball wing round with straight sides \$ 207.00




ELAXA140 Frame without offensive wing



ELAXA125 Frame basketball wing arrow \$ 207.00



ELAXA140 Frame without offensive wing



Anti-tip options (Choose one)

ELAXJ040 Anti tip single sport welded

ELAXJ060 Anti tip double sport welded \$ 286.00 (With high mount joining bar)

Specify castor pin width mm

Optimize measurements (Wide as possible - std if not indicated)

Anti-tip options (Choose one)

ELAXJ030 Anti tip single sport removable

ELAXJ050 Anti tip double sport removable \$ 286.00 (With high mount joining bar)

Specify castor pin width mm

Optimize measurements (Wide as possible - std if not indicated)

SIDEGUARDS		
Sideguard Style		
<input type="radio"/> ELAXE230 Sideguards welded sport \$ 430.00	<input type="radio"/> XE030 Sideguards screw on aluminium \$ 260.00	
<input type="radio"/> XE310 Sideguards high design upgrade \$ 263.00 (Only with option ELAXE230)	<input type="radio"/> XE050 Sideguards screw on carbon fibre \$ 578.00	
<input type="radio"/> ELAXE250 Sideguards tubes only welded aluminium \$ 202.00		
Sideguard Measurements (Choose One)		
Individual Measurements	Optimized Measurements	
<input type="checkbox"/> Sideguard length <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm	<input type="checkbox"/> Sideguard 25mm above tire (Follow tire)	
<input type="checkbox"/> Sideguard height <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm		<input type="checkbox"/> Sideguard individual above tire (Follow tire)
		<input type="checkbox"/> Sideguard level with tire (Follow tire)
BACKREST		
Backrest Height (Choose One)		
<input type="checkbox"/> XY230 Backrest height fixed <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm	<input type="checkbox"/> XY245 Backrest height adjustable lowest position \$ 197.00	
	<input type="checkbox"/>	
Ergonomics Rearward Positioning (Choose One)		
<input type="checkbox"/> XY360 Backrest angle <div style="display: flex; justify-content: space-around; width: 100px;"> -5 -3 0 +3 +5 </div> <input type="checkbox"/> Individual <div style="border: 1px solid black; width: 80px; height: 20px; margin: 5px;"></div> Deg (Max -10/+10 Deg)	<input type="checkbox"/> XG100 Backrest ergonomic design \$ 116.00	
	<input type="checkbox"/>	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> Vertical height <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm </div> <div style="width: 45%;"> <input type="checkbox"/> Rearward position <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm </div> </div>		
Ergonomics Lateral positioning (Choose One)		
<input type="checkbox"/> XG110 Backrest inward taper design \$ 116.00	<input type="checkbox"/> XG120 Backrest outward flare design \$ 116.00	
<input type="checkbox"/>	<input type="checkbox"/>	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm </div> <div style="width: 45%;"> <input type="checkbox"/> <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div> mm </div> </div>		

CASTOR AND REAR WHEELS			
Castor Wheels & Forks			
<input checked="" type="checkbox"/>	XC160 Castor wheel 61mm court sport	<input type="checkbox"/>	XC180 Castor wheel high performance bearing upgrade \$ 111.00 (Full set)
<input checked="" type="checkbox"/>	XC200 Castor fork micro sport		
Rear Wheels Wheel Size			
<input type="checkbox"/>	XY420 24"	<input type="checkbox"/>	XY430 25"
		<input type="checkbox"/>	XY440 26"
			<input type="checkbox"/> XY450 700C
Wheel Gap			
<input checked="" type="checkbox"/>	XY460 Rear wheel gap		<input checked="" type="checkbox"/> XY470 Inside to inside of wheel (For CX seat)
<input type="checkbox"/>	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <input type="checkbox"/> 15 mm </div> <div style="text-align: center;"> <input type="checkbox"/> 20 mm </div> <div style="text-align: center;"> <input type="checkbox"/> 25 mm </div> </div>	OR	<input type="checkbox"/> _____ mm
Rear Wheel Options (Choose One)			
<input type="checkbox"/>	XK030 Wheel Sun Equalizer 36/48 spoke sport	<input type="checkbox"/>	XK100 Wheel Spinerger XSLX 24 spoke cross \$ 844.00 spoked sport
<input type="checkbox"/>	XK080 Wheel Spinerger SLX 24 spoke sport \$ 801.00	<input type="checkbox"/>	XK330 Wheel Spinerger XSLX R10 heavy duty \$ 1,480.00 (18 deg camber angle only)
<input type="checkbox"/>	Spinergy Colour Options		
<input type="checkbox"/>	Black spoke / Silver hub	<input type="checkbox"/>	White spoke / Black Hub
<input type="checkbox"/>	Red spoke / Black hub	<input type="checkbox"/>	Blue spoke / Black hub
<input type="checkbox"/>	Yellow spoke / Black hub	<input type="checkbox"/>	Green spoke / Black hub
<input type="checkbox"/>	Pink spoke / Black hub	<input type="checkbox"/>	Orange spoke / Black hub
<input type="checkbox"/>	XK190 Spinergy black hub with black spokes \$ 96.00	<input type="checkbox"/>	XK180 Spinergy spoke colour custom (Specify below) \$ 170.00
		<input type="checkbox"/>	XK200 Spinergy silver hub with coloured spokes \$ 101.00
<input type="checkbox"/>	XK040 Wheel omit / supply without \$ (212.00) (Specify wheel type / size / tire)	<input type="checkbox"/>	_____
Handrim Position			
<input type="checkbox"/>	XY470 Handrim set narrow (Standard if no option selected)	<input type="checkbox"/>	XY480 Handrim set wide
Handrim Options			
<input type="checkbox"/>	XL010 Handrim aluminium hard anodized 6 tab (Standard if no option selected)	<input type="checkbox"/>	XL070 Handrim aluminium hard anodized 12 tab (Not with 24") \$ 116.00
<input type="checkbox"/>	XL040 Handrim titanium 6 tab (Not with 700C) \$ 355.00	<input type="checkbox"/>	XL080 Handrim set super narrow and cut off (XL040 only) \$ 234.00
<input type="checkbox"/>	XL050 Handrim stainless steel 6 tab \$ 197.00	<input type="checkbox"/>	XL090 Handrim remove excess mounting tab (Narrow set only) \$ 116.00
Tyre Options			
<input type="checkbox"/>	XM070 Tire Kenda Kaliente sport red only (Standard if not indicated)	<input type="checkbox"/>	XM080 Tire Tufo MS3 sport tubeless \$ 64.00
		<input type="checkbox"/>	XM090 Tire Tufo WS3 sport tubeless (24" only) \$ 64.00
Inner Tube Valve Options			
<input type="checkbox"/>	XY500 Schraeder inner tube valve	<input type="checkbox"/>	XY490 Presta inner tube valve (Standard if no option selected)

FRAME FINISH OPTIONS	
Frame	Components
<input type="checkbox"/> XN010 Finish frame powder coated <input type="info"/> Specify Code <input style="width: 100px;" type="text"/> <input type="radio"/> ELAXN030 Finish frame brushed \$ 450.00 <input type="radio"/> ELAXN050 Finish frame polished \$ 530.00	<input type="checkbox"/> XN150 Finish components powder coated (Footrest, camber bar & sideguards) (Standard black if not indicated) <input type="info"/> Specify Code <input style="width: 100px;" type="text"/> <input type="radio"/> XN160 Finish components brushed \$ 96.00 (Footrest, camber bar & sideguards) <input type="radio"/> XN170 Finish components polished \$ 170.00 (Footrest, camber bar & sideguards)
Accent Colour (Choose One)	
<input type="checkbox"/> Finish accent colour black <input type="info"/> <input type="checkbox"/> Finish accent colour red <input type="checkbox"/> Finish accent colour purple	<input type="checkbox"/> Finish accent colour silver <input type="checkbox"/> Finish accent colour blue
UPHOLSTERY (N/A WITH CX SEAT)	
Seat Upholstery	
<input type="checkbox"/> XP040 Upholstery seat sling adjustable tension with straps (Standard if not indicated)	
Backrest Upholstery	
<input type="checkbox"/> XP030 Upholstery backrest adjustable tension with straps (Standard if not indicated)	
Backrest Upholstery Leather Options	
<input type="radio"/> XP390 Upholstery backrest air lite centre pad \$ 116.00 <input type="radio"/> XP070 Upholstery upgrade to leather corners on side wings \$ 96.00 <input type="info"/> <input type="checkbox"/> Leather colour black (Standard if not indicated) <input type="checkbox"/> Leather colour red <input type="checkbox"/> Leather colour grey	
Backrest Accessories	
<input type="radio"/> XP170 Upholstery with individual embroidery (Please provide .jpeg file and positioning) \$ 160.00	

CUSHION

- XP080 Upholstery cushion foam with nylon cover \$ 96.00
 - Cushion foam soft (CMS040) Cushion foam medium (CMS050) Cushion foam hard (9 lbs. recon)
 - Cushion thickness 50mm Cushion thickness 75mm Cushion thickness 100mm
- XP340 Upholstery upgrade to cushion foam hard plastazote (Indicate max height) \$ 91.00
 - 580mm 630mm
- XP090 Upholstery cushion cover upgrade to air lite \$ 79.00
- XP380 Upholstery cushion cover neoprene \$ 101.00

STRAPPING

Velcro straps

- XS010 Strapping 100mm velcro basic adjustable sport \$ 69.00
 - Specify distance from backpost mm
- XS050 Strapping 100mm velcro pro adjustable sport \$ 138.00
 -
 - Specify strap length mm
 - Specify distance from back post mm
- XS055 Strapping 50mm velcro pro adjustable sport \$ 108.00
 -
 - Specify strap length mm
 - Specify distance from back post mm
- XS090 Strapping 50mm velcro CX pro adjustable sport \$ 139.00
 -
 - Specify strap length mm
 - Specify distance from back mm
- XS100 Strapping Neoprene Bodypoint universalwaist strap \$ 82.00

Ratchet Straps

- XS020 Strapping click basic sport \$ 74.00
 - Specify distance from backpost mm
- XS025 Strapping click Pelvi Loc 2DA \$ 323.00
 -
 - Indicate seat width:
 - 300-400mm
 - 360-460mm
 - Specify distance from back post mm
- XS030 Strapping click Pelvi Loc 3DA \$ 334.00
 -
 - Indicate seat width:
 - 160 - 240mm
 - 200 - 320mm
 - 300 - 400mm
 - 360 - 460mm
 - Specify distance from back post mm

Choose attachment (click strap only)

- XS040 Strapping click mounting points (one set per click strap) \$ 128.00
- XS045 Strapping click mounting clamps (one set per click strap) \$ 77.00

FRAME OPTIONS

- XR060 Calf strap mounting loops \$ 122.00
- XR065 Strap location loops \$ 93.00

ACCESSORIES

- XC330 Castor fork and stem (Front) spare part \$ 138.00
- XC340 Castor fork and stem (Anti-tip) spare part \$ 138.00
- RGK-XC345 Castor wheels set including bearings (spare part) \$ 165.00
- XR030 Accessory 3 Wheel Bag \$ 160.00
- XR090 Accessory toolkit
- XP130 Upholstery frame protectors full length sport \$ 101.00
- XA150 Plastic tube fitted to offensive wing \$ 74.00
- XS070 Accessory foot strap
- XS060 Accessory calf strap
- XP400 Upholstery back bar protector

CX SEAT OPTIONS (ONLY WITH XR070)

CX SEAT WIDTH

Optional: Select CX seat (minimum 15mm total padding, see guide)

- A-330mm
XY010 = 270-315
- B-355mm
XY010 = 295-340
- C-380mm
XY010 = 320-365
- D-405mm
XY010 = 345-390

Seat padding guide

Seat Padding	Seat width (mm)						
	300	320	340	360	380	400	
Seat Option (mm)	A-330	30	n/a	n/a	n/a	n/a	n/a
	B-355	55	35	15	n/a	n/a	n/a
	C-380	n/a	60	40	20	n/a	n/a
	D-405	n/a	n/a	n/a	45	25	n/a

XA015 Seat taper CX Only (See guide)

Preferred mm

Taper seat guide

Seat Taper	Seat length (mm)				
	250	300	350	400	
Seat width (mm)	330	305	280	255	230
	355	330	305	280	255
	380	355	330	305	280
	405	380	355	330	305

CX SEAT POSITION

Front seat height CX only (Floor to middle of cushion)

mm

Note: CX seat comes with +/- 10mm adjustment


Rear seat height CX only (Floor to middle of cushion)

mm

Note: CX seat comes with +/- 10mm adjustment

Please indicate cushion details from existing chair (cushion thickness and density):

Note: Take measurement from



BACKREST POSITION


Backrest depth top (distance from front of back post to middle of upholstery)

mm

Note: Take measurement from existing chair

Backrest depth bottom (distance from front of back post to middle of upholstery)

mm



CX UPHOLSTERY OPTIONS

XP200 Upholstery CX seat and backrest (Airlite and neoprene cover with 12mm foam padding, total thickness = 15mm)

Seat cushion thickness (additional to 15mm cover thickness)

7 10 25 50 Custom thickness

Centre seat cushion foam type

Soft Med Hard Plastazote

Backrest cushion thickness (additional to 15mm cover thickness)

7 10 25 50 Custom thickness

Backrest foam type


Soft Med Hard Plastazote

SIDEGUARD MEASUREMENTS

Individual Measurements

Sideguard height (Follow tire / Max = 180mm) (std = 150mm)

mm



RGK-XC345

Individual Measurements

Backrest depth (Follow tire / Max = 160mm) (std = 100mm)

mm

